NOT USED 20

SCALE: N.T.S. S-200



UMBRELLA FOUNDATION (SPREAD FTG. OPTION) 16

SCALE: N.T.S. S-200

NOT USED 12

SCALE: N.T.S. S-200



SECT. "A"



SECTION 4

SCALE: ¾"=1'-0" S-200

NOT USED 19

SCALE: ¾"=1'-0" S-200



TYPICAL LIGHT POLE SECTION 15

SCALE: ¾"=1'-0" S-200



TRASH ENCLOSURE WALL 11

SCALE: ¾"=1'-0" S-200

REF. 02/S-200 FOR INFO NOT SHOWN



SECTION 7

SCALE: ¾"=1'-0" S-200



SECTION 3

SCALE: ¾"=1'-0" S-200

REF. 2/S-200 FOR INFO. NOT SHOWN.



SECTION 18

SCALE: ¾"=1'-0" S-200

HOLDOWN	SCREW #	CAST IN PLACE REQUIREMENTS ANCH. BOLT	CAST IN PLACE REQUIREMENTS BOLT EMBED	EPOXY OPTION REQUIREMENTS BOLT EMBED
S/HDU4	6- #14 SCREWS	⅝"ø	1'-0"	12"

NOTE: ADD LENGTH TO BOLTS EXTENDING THROUGH CURBS.



NOTE: EPOXY OPTION IS BASED ON SIMPSON SET-XP DESIGN VALUES. EPOXY SUBSTITUTIONS MUST BE APPROVED BY STRUCTURAL ENGINEER OF RECORD BEFORE PLACEMENT.



TYPICAL HOLDOWN DETAIL- LIGHT GAGE 10

SCALE: ¾"=1'-0" S-200



SECTION 6

SCALE: ¾"=1'-0" S-200



SECTION 2, 2A

SCALE: ¾"=1'-0" S-200



SLAB AT NON BEARING WALL 17

SCALE: N.T.S. S-200



HOLDOWN	STUDS	SCREW #	CAST IN PLACE REQUIREMENTS ANCH. BOLT	CAST IN PLACE REQUIREMENTS BOLT EMBED	EPOXY OPTION REQUIREMENTS BOLT EMBED
HDU2-SDS2.5	3	6- SDS ¼"x2½"	⅝"ø	1'-0"	10"
HDU5-SDS2.5	3	14- SDS ¼"x2½"	⅝"ø	1'-0"	12"
HDU8-SDS2.5	4	20- SDS ¼"x2½"	⅞"ø	1'-4"	NOT PERMITTED
HDU14-SDS2.5	6x6	36- SDS ¼"x2½"	1"ø	1'-4"	NOT PERMITTED

NOTE: ADD LENGTH TO BOLTS EXTENDING THROUGH CURBS.

NOTE: EPOXY OPTION IS BASED ON SIMPSON SET-XP DESIGN VALUES. EPOXY SUBSTITUTIONS MUST BE APPROVED BY STRUCTURAL ENGINEER OF RECORD BEFORE PLACEMENT.

TYPICAL HOLDOWN DETAIL- WOOD 9

SCALE: N.T.S. S-200



SECTION 5

SCALE: ¾"=1'-0" S-200

BRITT PETERS AND ASSOCIATES INC.
consulting engineers
101 Falls Park Drive
Suite 601
Greenville, SC 29601
(864) 271-8869
(864) 233-5140 Fax
www.brittpeters.com
BPA Job No. 181059

PANDA EXPRESS, INC.
1683 Walnut Grove Ave.
Rosemead, California
91770
Telephone: 626.799.9898
Facsimile: 626.372.8288

All ideas, designs, arrangement and plans indicated or represented by this drawing are the property of Panda Express Inc, and were created for use on this specific project. None of these ideas, designs, arrangements or plans may be used by or disclosed to any person, firm, or corporation without the written permission of Panda Express Inc.

REVISIONS:

ISSUE DATE:

1st	PERMIT SET	10-5-18
2nd	BID SET	11-20-18

DRAWN BY:

PANDA PROJECT #: S8-19-D6462

ARCH PROJECT #: 18044.013

STATE OF KENTUCKY MARK PETERS 17757 LICENSED PROFESSIONAL ENGINEER 11-20-18

khcklovercarchitect
10955 LOWELL AVENUE, SUITE 700
OVERLAND PARK, KS 66210
ph: 913.649.8181 • fx: 913.649.1275

PANDA EXPRESS
TRUE WARM & WELCOME 2200
Conestoga Pkwy & Historical Trail
Shepherdsville, KY, 40165

S-200

FOUNDATION DETAILS

BID SET 11.20.18

TRUE WARM & WELCOME 2200